PATENT ATTORNEY DOCKET NO. 50413/013001

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

Jae Yong Han et al.

Confirmation No.:

2565

Serial No:

10/569,847

Art Unit:

1633

Filed:

April 10, 2006

Examiner:

Fereydoun Ghotb Sajjadi

Customer No.: Title:

21559

21339

Method for Culturing Avian Spermatogonial Stem Cells and Avian

Spermatogonial Stem Cells Prepared Thereby

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

DECLARATION UNDER 37 C.F.R. § 1.132

I declare:

- 1. I, Jae Yong Han the chief of the inventors of United State Patent application serial No. 10/569,847 declare as follows:
- 2. The present invention of the method for long term culture of spermatogonial stem cells (SSCs) from avian testes satisfies the long felt but unresolved need. The long felt but unresolved need in the field the present invention pertains to is to prepare transgenic chicken with high efficiency.
- 3. SSCs have an ability to self-renew and to produce large numbers of differentiating germ cells that become spermatozoa throughout postnatal life and transmit genetic information to the next generation. In vitro manipulation of SSCs offers the opportunity to study the mechanisms of continuation of the germline and to develop novel techniques for germline modification or therapy and producing of transgenic animal. In other words, SSCs can be utilized in the generation of transgenic animal or gene therapy of sperm cells through the introduction of gene into SSCs and

transplantation of genetically manipulated SSCs into the seminiferous tubules of recipient. It also can be useful tools to study the spermatogenesis.

- 4. Recent research with SSCs in the mouse demonstrates the potential of these stem cells as a centerpiece in a new era of clinical application for treatment of infertility and regenerative medicine (Brinster RL and Zimmermann JW (1994) Spermatogenesis following male germ-cell transplantation. *Proc Natl Acad Sci USA* 91: 11298–11302; Brinster RL and Avarbock MR (1994) Germline transmission of donor haplotype following spermatogonial transplantation. *Proc Natl Acad Sci USA* 91: 11303–11307; Kubota H *et al.* (2004) Growth factors essential for self-renewal and expansion of mouse spermatogonial stem cells. *Proc Natl Acad Sci USA* 101: 16489–16494).
- 5. Furthermore, a system to transplant mouse testis cells from a fertile donor male to the seminiferous tubules of an infertile recipient male has been developed. Spermatogenesis is generated from transplanted cells, and recipients are capable of transmitting the donor haplotype to progeny. After transplantation, primitive donor spermatogonia migrate to the basement membrane of recipient seminiferous tubules and begin proliferating. Eventually, these cells establish stable colonies with a characteristic appearance, which expands and produces differentiating germ cells, including mature spermatozoa. Thus, the transplanted cells self-renew and produce progeny that differentiate into fully functional spermatozoa.
- 6. As a bioreactor, bird such as chicken has been proved as the most efficient system for producing useful therapeutic proteins. More than half of the egg white protein contents derive from the ovalbumin gene and other four proteins (lysozyme, ovomucoid, ovomucin and conalbumin) present at levels of 50 milligrams or greater. In addition, the naturally sterile egg contains egg white protein at high concentration allowing for a long shelf life of recombinant protein with out loss in activity. Transgenic chicken as a bioreactor for production of recombinant therapeutic

proteins has advantages such as low cost, rapid development of production flock and beneficial glycosylation profile of the protein obtained from the eggs.

- 7. In spite of the above-mentioned advantages, transgenic procedures in the bird have lagged far behind other vertebrates because of its unique process of early gamete and embryo development compared with other animals such as mouse.
- 8. The technique of long term culture of chicken SSCs makes it possible to efficiently create transgenic chickens that produce useful recombinant proteins through the procedure of transfecting the cultured SSCs with a recombinant gene construct and subsequent transplanting the transfected SSCs into the testes of recipient chicken. This system consists of isolation and in vitro-culture of chicken testicular cells, i.e. SSCs, transfer of in vitro-maintained SSCs into heterologous testes, production of germline chimeras and cross-breeding of them for confirming the presence of heterologous, functional spermatozoa differentiated from donor SSCs.
- 9. There are several significant advantages of SSCs over PGCs for preparing transgenic chickens.
- 10. First, germline stem cells of SSCs can be obtained in large quantities compared to the conventional method whereby embryo-derived primordial germ cells (PGCs) are used.
- obtain transgenic progeny chicken originated from transplanted SSCs compared to the method utilizing PGCs. In the method using PGCs, PGCs are introduced into a blood vessel of embryo and the embryo injected with PGCs has to be incubated, hatched and brought up to the adult chicken, and then, progeny transgenic chicken is produced through cross-breeding. Thus, compared with the method of using PGCs, the method for preparing transgenic chicken by introducing SSCs into the testes of recipient has the advantages of not requiring the time needed for incubating, hatching

the transgenic embryo and bringing it up to the adult chicken for obtaining transgenic progeny.

- 12. Third, the preparing method of transgenic chicken using SSCs does not require the procedure of sex selection because it introduces male SSCs into the male recipient. Thus the method using SSCs can eliminate the time and cost required for sex selection. On the contrary, the procedure of sex selection is required in the method using PGCs in order to increase the efficiency of producing transgenic progeny by matching the sex of donor PGCs and recipient.
- 13. Fourth, the method for producing transgenic chicken by using SSCs can improve the efficiency of transmission of the introduced gene to the progeny because the process of development from SSCs into the intact sperm cells is relatively simple and does not require long time. On the other hand, the chance of transmission of a foreign gene introduced into PGCs to the progeny is relatively low in the method using PGCs because PGCs introduced into an embryo necessarily undergo an extraordinary complex procedure during gonad development.
- 14. Fifth, the method using PGCs requires the process of bringing up the hatched chick to the adult chicken and carrying out cross-breeding. Thus, compared to the method using PGCs, the method using SSCs can remove the cost and time for incubating and hatching the embryo and rearing the hatched chick to adult chicken because the adult chicken injected with SSCs can be directly used for cross-breeding to prepare transgenic progeny.
- 15. Thus, the establishment of long term culture of chicken SSCs is essential and fundamental technique for utilization of SSCs to prepare transgenic chicken. The long term culture of mouse SSCs is already established, however, the culture of avian such as chicken SSCs is firstly achieved by the inventors of the instant invention and this method is strongly expected to provide a technological basis to produce transgenic chickens with high economical efficiency.
 - 16. The present invention of the method for long term culture of spermatogonial stem cells

(SSCs) from avian testes cannot be expected from thetechniques that disclose the isolation and culture of SSCs from *mouse* testes.

- 17. First, birds have internalized testicles as contrary to a mouse having externalized testicles. More specifically, in the mouse, the testes are located under the peritoneal cavity and exposed to exterior of the body. Thus, mouse testes are easily detected with the naked eye. This makes it easy to excise and isolate testicular cells including SSCs from the mouse body. On the contrary to this, the testes of birds are located within the center of the body cavity, ventral to the spine and kidney (See Fig. 8.1. of page 209 of Etches RJ. Reproduction in poultry. Cab International 1996: 208-214), and thus, they cannot be easily observed without surgical process. In addition, *rete testis* is connected to a whole side of a testis, rather than connected to a part of the testes. These render it more difficult to prepare and isolate testicular cells containing SSCs from the bird body compared to the mouse. Accordingly, in order to isolate SSCs from the internalized bird testes, a complex surgical process is essential.
- 18. Second, the physiological conditions of spermatogenesis in birds are completely different from that of mouse. For example, the spermatogenesis in birds is carried out under the temperature of 40-41°C which is distinctly different to the spermatogenesis temperature of 24-26°C of the mammal including mouse. The difference of the spermatogenesis temperature in birds and mouse comes from the difference of the location of the testes in the body as mentioned above.
- 19. Third, if the method for preparing mouse SSCs is directly applied to bird system, the yield of obtaining bird SSCs is very low. The reason for this can be summarized as followings.

 Many specific markers for mouse SSCs have been already found. However, in bird system, specific markers for SSCs have not been identified and it is difficult to use mouse SSCs markers in

the avian system. Furthermore, it is expected that various characteristics exist in spermatogenesis according to the different age steps of the avian. The specific methods for preparing and isolating avian SSCs must be altered in accordance with the specific age stages of the bird, and the specific aspects of the age stages of the bird are distinctly different from that of mouse. Thus, the method for preparing mouse SSCs cannot be directly applied to the avian system.

20. All statements made herein of my own knowledge are true and all statements made on information and belief are believed to be true; further these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patents issued thereon.

()	Q .	· ·
112/1		×

Jany Date: Fiels, 3, 2009

Printed Name: HAIV, Jac Song

6

Curriculum Vitae

- o NAME: Jae Yong Han
- o ADDRESS (WORK): Department of Agricultural Biotechnology, Seoul National University

San 56-1, Sillim-dong, Gwanak-gu, Seoul, 151-921 Korea

Tel: 82-2-880-4810

Fax: 82-2-874-4811

E-mail: jaehan@snu.ac.kr

- o BIRTH DATE: April 9, 1961
- o SEX: Male
- EDUCATION:
 - Ph. D. 1991. Department of Animal Science, University of Minnesota, St. Paul, MN55108, USA.

Major: Animal Molecular Genetics

Advisor: Professors, R.N. Shoffner and K.S. Guise

M.S. 1986. Department of Animal Science and Technology, Seoul National University, 151-921 Korea

Major: Animal Genetics and Breeding

Advisor: Professor, B.K. Ohh

B.S. 1984. Department of Animal Science and Technology, Seoul National University, 151-921 Korea

Major: Animal Science

• ACADEMIC PROFESSIONAL POSITIONS

2008 - present: Adjunct Professor, Department of Animal Science, Texas A&M University, USA

2007 - present: Associate Dean (Research Affair), College of Agriculture and Life Sciences,

Seoul National University

2007 - present: Deputy Director, Research Institute for Agriculture and Life Sciences.

Seoul National University

2001 - 2003: Head, Department of Animal Science and Technology, Seoul National University

2001 - 2003: Director, University Animal Farm, Seoul National University

2001 - present: Professor, Department of Agricultural Biotechnology, Seoul National University

1996 - 2001: Associate Professor, Department of Agricultural Biotechnology, Seoul National University

1991 - 1996: Assistant Professor, Department of Animal Science and Technology, College of Agriculture and Life Sciences, Seoul National University

1988 - 1991: Research Assistant, Department of Animal Science, University of Minnesota, USA

1984 - 1986: Research Assistant, Seoul National University

• ACTIVITIES IN PROFESSIONAL SOCIETIES

2009 - present: Editor-in-Chief, Korean Society of Animal Sciences and Technology

2008 - present: Special Advisory Board, The Journal of Poultry Science (Japan)

2008 - present: Editorial Advisory Board, The Open Reproduction Science Journal

2008 - present: Editor-in-Chief, Animal Biotechnology & Experimental Medicine

- 2007 present: Registered Reviewer, Reproduction Biology and Endocrinology
- 2007 2008: Chair of Scientific Committee, Korean Society of Animal Sciences and Technology
- 2005 present: Vice President, Korean Society of Poultry Science
- 2002 present: Member, Central Agricultural Advisory Communal Consultant, Rural Development Administration
- 2002 2005: Chair, Center for Poultry Research, BioGreen 21 Program, Rural Development Administration
- 1999 present: Korea Branch Secretary, World Poultry Science Association
- 1999 2002: Secretary General, Editor, Korean Society of Poultry Science
- 1999 2004: Board of Directors, Korean Society of Animal Sciences and Technology
- 1991 present: Editorial Board, Assistant Editor, Asian-Australasian Journal of Animal Science
- 1996 1999: Secretary General, Editor, Korean Society of Animal Genetics and Breeding
- 1994 2000: Editor, Korean Journal of Animal Reproduction
- 1994 2004: Section Editor (Genetic Section), Korean Journal of Animal Science and Technology

LIST OF PUBLICATION (SCI)

- 1. Lee SI, Lee WK, Shin JH, Han BK, Moon S, Cho S, Park T, Kim H, <u>Han JY</u> (2009) Sexually dimorphic gene expression in the chick brain before gonadal differentiation. *Poultry Science* (in press).
- 2. Lee JH, Lee EJ, Lee CH, Lee DJ, Park JH, <u>Han JY</u>, Lim JM (2009) Requirement of leukemia inhibitory factor establishing and maintaining of embryonic stem cells in mice. *Fertility and Sterility* (in press).
- 3. Han JY (2009) Germ cells and transgenesis in chickens (invited paper). Comparative Immunology, Microbiology and Infectious Disease 32:61-80.
- 4. Kim KM, Sung S, Caetano-Anolles G, <u>Han JY</u>, Kim H (2008) An approach of orthology detection from homologous sequences under minimum evolution. *Nucleic Acids Research* 36:e110.
- Lee ST, Choi MH, Lee EJ, Gong SP, Jang M, Park SH, Jee H, Kim DY, <u>Han JY</u>, Lim JM (2008) Establishment of autologous embryonic stem cells derived from preantral follicle culture and oocyte parthenogenesis. *Fertility and Sterility* 90:1910-1920.
- 6. Hong YH, Lillehoj HS, Park DW, Lee SH, <u>Han JY</u>, Shin JH, Park MS, Kim JK (2008) Cloning and functional characterization of chicken interleukin-17D. *Veterinary Immunology and Immunopathology* 126:1-8.
- 7. Kang SJ, Choi JW, Kim SY, Park KJ, Kim TM, Lee YM, Kim H, Lim JM, <u>Han JY</u> (2008) Reproduction of wild birds *via* interspecies germ cell transplantation. *Biology of Reproduction* 79:931-937.
- 8. Kim K, Jeon YT, Kim JW, Park NH, Kang SB, Lee HP, Park IA, Kim H, Lim JM, <u>Han JY</u>, Song YS (2008) Cyclooxygenase-2 expression in ovarian germ cell malignancies. *Journal of Clinical Biochemistry and Nutrition* 43 Suppl 1:168-171.
- 9. Rengaraj D, Kim DK, Zheng YH, Lee SI, Kim H, <u>Han JY</u> (2008) Testis-specific novel transcripts in chicken: *in situ* localization and expression pattern profiling during sexual development. *Biology of Reproduction* 79:413-420.
- 10. Shin SS, Kim TM, Kim SY, Kim TW, Seo HW, Lee SK, Kwon SC, Lee GS, Kim H, Lim JM, <u>Han JY</u> (2008) Generation of transgenic quail through germ cell-mediated germline transmission. *FASEB Journal* 22:2435-2444.
- 11. Kim DK, Lillehoj HS, Hong YH, Park DW, Lamont SJ, <u>Han JY</u>, Lillenhoj EP (2008) Immune-related gene expression in two B-complex disparate genetically inbred Fayoumi chicken lines following *Eimeria maxima* infection. *Poultry Science* 87:433-443.
- 12. Park TS, Kim MA, Lim JM, Han JY (2008) Production of quail (Coturnix japonica) germline chimeras derived

- from in vitro-cultured gonadal primordial germ cells. Molecular Reproduction and Development 75:274-281.
- 13. Lee JY, Lim JM, Kim DK, Zheng YH, Moon S, Han BK, Song KD, Kim H, <u>Han JY</u> (2008) Identification and gene expression profiling of the Pum1 and Pum2 members of the Pumilio family in the chicken. *Molecular Reproduction and Development* 75:184-190.
- 14. Kim TW, Shin SS, Kim TM, Lee SK, Han BK, <u>Han JY</u> (2007) Re-activation of silenced virally transduced gene in transgenic avian by demethylation agent inhibitors of histone deacetylase. *Transgenic Research* 16:856.
- 15. Kim H, Park TS, Lee WK, Moon S, Kim JN, Shin JH, Jung JG, Lee SD, Park SH, Park KJ, Kim MA, Shin SS, Kim TM, Nam J, Kang Y, Lim JM, <u>Han JY</u> (2007) MPSS profiling of embryonic gonad and primordial germ cells in chicken. *Physiological Genomics* 29:253-259.
- 16. Lee BR, Kim H, Park TS, Moon S, Cho S, Park T, Lim JM, <u>Han JY</u> (2007) A set of stage-specific gene transcripts identified in EK stage X and HH stage 3 chick embryos. *BMC Developmental Biology* 7:60.
- 17. Jung JG, Lee YM, Park TS, Park SH, Lim JM, <u>Han JY</u> (2007) Identification, culture and characterization of germline stem cell-like cells in chicken testes. *Biology of Reproduction* 76:173-182.
- 18. Choi JW, Lee EY, Shin JH, Zheng Y, Cho BW, Kim JK, Kim H, <u>Han JY</u> (2007) Identification of breed-specific DNA polymorphisms for a simple and unambiguous screening system in germline chimeric chickens. *Journal of Experimental Zoology* 307A:241-248.
- Lee ST, Choi MH, Gong SP, <u>Han JY</u>, Lim JM (2007) Establishment of a basic method for manipulating preantral follicles: effects of retrieval method on in vitro growth of preantral follicles and intrafollicular oocytes. *Zygote* 15:109-116.
- 20. Kim JY, Lee YM, Koh WS, Kim CY, Choi IY, Kwon SC, Lee GS, <u>Han JY</u>, Lee M (2007) Genotoxicity assessment of HM10620 containing recombinant human interferon-α. *Drug and Chemical Toxicology* 30:83-95.
- 21. Han JY, Park TS, Lim JM. (2006) Chicken pluripotent cells and transgenesis. Transgenic Research 15:118-119.
- 22. <u>Han JY</u>, Park TS, Kim JN, Kim MA, Lim D, Lim JM, Kim H (2006) Gene expression profiling of chicken primordial germ cell ESTs. *BMC Genomics* 7:220.
- 23. Kim H, Lim D, Han BK, Sung S, Jeon M, Moon S, Kang Y, Nam J, <u>Han JY</u> (2006) ChickGCE: a novel germ cell EST database for studying the early developmental stage in chickens. *Genomics* 88:252-257.
- 24. Lee YM, Jung JG, Kim JN, Park TS, Kim TM, Shin SS, Kang DK, Lim JM, <u>Han JY</u> (2006) A testis-mediated germline chimera production based on transfer of chicken testicular cells directly into heterologous testes. *Biology of Reproduction* 75:380-386.
- 25. Cho M, Jang M, Lee EJ, <u>Han JY</u>, Lim JM (2006) An alternative method of deriving embryonic stem cell-like clones by aggregation of diploid cells with tetraploid embryos. *Fertility and Sterility* 85:1103-1110.
- 26. Lee ST, Oh SW, Kim DY, <u>Han JY</u>, Moon SY, Lim JM (2006) Serum replacement with a growth factor-free synthetic substance in culture medium contributes to effective establishment of mouse embryonic stem cells of various origins. *Fertility and Sterility* 86:1137-1145.
- 27. Park HJ, Park TS, Kim TM, Kim JN, Shin SS, Lim JM, <u>Han JY</u> (2006) Establishment of an *in vitro* culture system for chicken preblastodermal cells. *Molecular Reproduction and Development* 73:452-461.
- Lee ST, Han HJ, Oh SJ, Lee EJ, <u>Han JY</u>, Lim JM (2006) Influence of ovarian hyperstimulation and ovulation induction on the cytoskeletal dynamics and developmental competence of oocytes. *Molecular Reproduction and Development* 73:1022-1033.
- 29. Lim JM, Kwon HM, Kim DK, Kim JN, Park TS, Ono T, Han JY (2006) Selective decrease of chick embryonic

- primordial germ cells in vivo and in vitro by soft X-ray irradiation. Animal Reproduction Science 95:67-74.
- 30. Hong YH, Lillehoj HS, Dalloul RA, Min W, Miska KB, Tuo W, Lee SH, <u>Han JY</u>, Lillehoj EP (2006) Molecular cloning and characterization of chicken NK-lysin. *Veterinary Immunology and Immunopathology* 110:339-347.
- 31. Kim DK, Song KD, Kim JN, Park TS, Lim JM, <u>Han JY</u> (2006) Increased reactivity of cultured chicken blastodermal cells to anti-stage-specific embryonic antigen-1 antibody after exposure to bone morphogenetic proteins. *Theriogenology* 65:658-668.
- 32. Shin JH, Kim H, Lim D, Jeon M, Han BK, Park TS, Kim JK, Lillehoj HS, Cho BW, <u>Han JY</u> (2006) Analysis of chicken embryonic gonad expressed sequenced tags. *Animal Genetics* 37:85-86.
- 33. Choi MH, Oh JH, Kim TM, <u>Han JY</u>, Lim JM (2006) Morphological criteria of bovine ovaries for predicting retrieval efficiency of preantral follicles. *Asian-Australasian Journal of Animal Sciences* 19:1711-1715.
- 34. Hong YH, Lee MS, Jung SY, Lee YM, Park TS, Lim JM, <u>Han JY</u> (2005) Culture of avian spermatogonial stem cells. *Transgenic Research* 14:350.
- 35. Jung JG, Kim DK, Park TS, Lee SD, Lim JM, <u>Han JY</u> (2005) Development of novel markers for the characterization of chicken primordial germ cells. *Stem Cells* 23:689-698.
- 36. Lee ST, Kim TM, Cho MY, Moon SY, <u>Han JY</u>, Lim JM (2005) Development of a hamster superovulation program and adverse effects of gonadotropins on microfilament formation during oocyte development. *Fertility and Sterility* 83:1264-1274.
- 37. Jeon HY, Hyun SH, Lee GS, Kim HS, Kim S, Jeong YW, Kang SK, Lee BC, <u>Han JY</u>, Ahn C, Hwang WS (2005) The analysis of telomere length and telomerase activity in cloned pigs and cows. *Molecular Reproduction and Development* 71:315-320.
- 38. Han BK, Kim JN, Shin JH, Kim JK, Jo DH, Kim H, <u>Han JY</u> (2005) Proteome analysis of chicken embryonic gonads: identification of major proteins from cultured gonadal primordial germ cells. *Molecular Reproduction and Development* 72:521-529.
- 39. Min W, Lillehoj HS, Ashwell CM, van Tassell CP, Dalloul RA, Matukumalli LK, <u>Han JY</u>, Lillehoj EP (2005) Expressed sequence tag analysis of *Eimeria*-stimulated intestinal intraepithelial lymphocytes in chickens. *Molecular Biotechnology* 30:143-150.
- 40. Kim JN, Lee YM, Park TS, Jung JG, Cho BW, Lim JM, <u>Han JY</u> (2005) Detection and characterization of primordial germ cells in pheasant (*Phasianus colchicus*) embryos. *Theriogenology* 63:1038-1049.
- 41. Kim MA, Park TS, Kim JN, Park HJ, Lee YM, Ono T, Lim JM, <u>Han JY</u> (2005) Production of quail (*Coturnix japonica*) germline chimeras by transfer of gonadal primordial germ cells into recipient embryos. *Theriogenology* 63:774-782.
- 42. Lee GS, Kim HS, Hyun SH, Lee SH, Jeon HY, Nam DH, Jeong YW, Kim S, Kim JH, <u>Han JY</u>, Ahn C, Kang SK, Lee BC, Hwang WS (2005) Production of transgenic cloned piglets from genetically transformed fetal fibroblasts selected by green fluorescent protein. *Theriogenology* 63:973-991.
- 43. Kim SH, Choi JY, Shin CR, Suh EJ, Kim SY, Choi KD, Jeon I, <u>Han JY</u>, Kim TY, Kim SH (2005) Induction of apoptosis in chicken oviduct cells by C2 ceramide. *Molecules and Cells* 19:185-190.
- 44. <u>Han JY</u>, Song KD, Shin JH, Han BK, Park TS, Park HJ, Kim JK, Lillehoj HS, Lim JM, Kim H (2005) Identification and characterization of the peroxiredoxin gene family in chicken. *Poultry Science* 84:1432-1438.
- 45. Shin JH, Kim H, Song KD, Han BK, Park TS, Kim DK, <u>Han JY</u> (2005) A set of testis-specific novel genes collected from a collection of Korean Native Chicken ESTs. *Animal Genetics* 36:346-348.

- Kim DK, Lim D, Lee BR, Shin JH, Kim H, <u>Han JY</u> (2005) Analysis of testis-specific transcripts in the chicken. *Animal Genetics* 36:232-234.
- 47. Park KJ, Park DW, Kim CH, Han BK, Park TS, <u>Han JY</u>, Lillehoj HS, Kim JK (2005) Development and characterization of a recombinant chicken single-chain Fv antibody detecting *Eimeria acervulina* sporozoite antigen. *Biotechnology Letters* 27:289-295.
- 48. Moon YS, Lee HG, Yin YH, Jin X, Hong ZS, Cho JS, Kim SC, You SK, Jin DI, <u>Han JY</u>, Choi YJ (2005) Effect of maternal passive autoimmunization against myostatin on growth performance in chickens. *Asian-Australasian Journal of Animal Sciences* 18:1017-1021.
- 49. Kim TH, Choi BH, Lee HK, Park HS, Lee HY, Yoon DH, Lee JW, Jeon GJ, Cheong IC, Oh SJ, <u>Han JY</u> (2005) Identification of quantitative traits loci (QTL) affecting growth traits in pigs. *Asian-Australasian Journal of Animal Sciences* 18:1524-1528.
- 50. Kim TM, Hwang WS, Shin JH, Park HJ, <u>Han JY</u>, Lim JM (2004) Development of a nonmechanical enucleation method using X-ray irradiation in somatic cell nuclear transfer. *Fertility and Sterility* 82:963-965.
- 51. Kim TM, Park TS, Shin SS, <u>Han JY</u>, Moon SY, Lim JM (2004) An interclass nuclear transfer between fowl and mammal: in vitro development of chicken-to-cattle interclass embryo and the detection of chicken genetic complements. *Fertility and Sterility* 82:957-959.
- 52. Park ES, Hwang WS, Kang SK, Lee BC, <u>Han JY</u>, Lim JM (2004) Improved embryo development with decreased apoptosis in blastomeres after the treatment of cloned bovine embryos with β-mercaptoethanol and hemoglobin. *Molecular Reproduction and Development* 67:200-206.
- 53. Park ES, Hwang WS, Jang G, Cho JK, Kang SK, Lee BC, <u>Han JY</u>, Lim JM (2004) Incidence of apoptosis in clone embryos and improved development by the treatment of donor somatic cells with putative apoptosis inhibitors. *Molecular Reproduction and Development* 68:65-71.
- 54. Kim JN, Kim MA, Park TS, Kim DK, Park HJ, Ono T, Lim JM, <u>Han JY</u> (2004) Enriched gonadal migration of donor-derived gonadal primordial germ cells by immunomagnetic cell sorting in birds. *Molecular Reproduction and Development* 68:81-87.
- 55. Kim TH, Choi BH, Yoon DH, Park EW, Jeon JT, <u>Han JY</u>, Oh SJ, Cheong IC (2004) Identification of quantitative trait loci (QTL) affecting teat number in pigs. *Asian-Australasian Journal of Animal Sciences* 17:1210-1213.
- 56. Lee ST, Cho MY, Kim EJ, Kim TM, Lee CK, <u>Han JY</u>, Lim JM (2004) Renovation of a drop embryo cultures system by using refined mineral oil and the effect of glucose and/or hemoglobin added to a serum-free medium. *Journal of Veterinary Medical Science* 66:63-66.
- 57. Hyun SH, Lee GS, Kim DY, Kim HS, Lee HS, Nam DH, Jeong YW, Kim S, Yeom SC, Kang SK, <u>Han JY</u>, Lee BC, Hwang WS (2003) Production of nuclear transfer-derived piglets using porcine fetal fibroblasts transfected with the enhanced green fluorescent protein. *Biology of Reproduction* 69:1060-1068.
- 58. Park TS, Jeong DK, Kim JN, Song GH, Hong YH, Lim JM, <u>Han JY</u> (2003) Improved germline transmission in chicken chimeras produced by transplantation of gonadal primordial germ cells into recipient embryos. *Biology of Reproduction* 68:1657-1662.
- Park TS, Hong YH, Kwon SC, Lim JM, <u>Han JY</u> (2003) Birth of germline chimeras by transfer of chicken embryonic germ (EG) cells into recipient embryos. *Molecular Reproduction and Development* 65:389-395.
- 60. Lee AY, Chung HK, Bae EK, Hwang JS, Sung BW, Cho CW, Kim JK, Lee K, Han JY, Lee CT, Youn HJ (2003) A recombinant human G-CSF/GM-CSF fusion protein from E. coli showing colony stimulating activity on human

- bone marrow cells. Biotechnology Letters 25:205-211.
- 61. Lee HK, Lee SS, Kim TH, Jeon GJ, Jung HW, Shin YS, <u>Han JY</u>, Choi BH, Cheong IC (2003) Detection of imprinted quantitative trait loci (QTL) for growth traits in pigs. *Asian-Australasian Journal of Animal Sciences* 16:1087-1092.
- 62. <u>Han JV</u>, Park TS, Hong YH, Jeong DK, Kim JN, Kim KD, Lim JM (2002) Production of germline chimeras by transfer of chicken gonadal primordial germ cells maintained *in vitro* for an extended period. *Theriogenology* 58:1531-1539.
- 63. Lee AY, Kim JK, Chung HK, Bae EK, Hwang JS, Cho CW, Lee DS, <u>Han JY</u>, Lee CT, Hong SK, Youn HJ (2002) A recombinant human GM-CSF protein expressed as an inclusion form in *Escherichia coli* stimulates colony formation and cell proliferation *in vitro*. *The Journal of Microbiology* 40:77-81.
- 64. Jeong DK, Hong YH, <u>Han JY</u> (2002) Simple separation of chicken gonadal primordial germ cells with and without foreign genes. *Cell Biology International* 26:647-651.
- 65. Yeo JS, Kim JW, Chang TK, Nam DH, <u>Han JY</u>, Choi CB (2002) Detection of DNA fragment to differentiate Korean Cattle. *Asian-Australasian Journal of Animal Sciences* 15:1071-1075.
- Jeong DK, <u>Han JY</u> (2002) Migration activity of chicken gonadal primordial germ cells (gPGCs) and post-transfer localization of *LacZ*-transfected gPGCs in the embryonic gonads. *Asian-Australasian Journal of Animal Sciences* 15:1227-1231.
- 67. Sohn SH, Lee CY, Ryu EK, <u>Han JY</u>, Multani AS, Pathak S (2002) Rapid sex identification of chicken by fluorescence in situ hybridization using a W chromosome-specific DNA probe. *Asian-Australasian Journal of Animal Sciences* 15:1531-1535.
- 68. Cho JK, Park SG, Chung HM, Shim HS, Lee BC, Rhee KH, Kang SK, <u>Han JY</u>, Lee CK, Lee ES, Hwang WS, Lim JM (2002) Improved development of ICR mouse 2-cell embryos by the addition of amino acids to a serum-, phosphate- and glucose-free medium. *Journal of Veterinary Medical Science* 64:797-801.
- 69. Kim JN, Park TS, Song GH, Kim DK, Lee YM, Kim KD, <u>Han JY</u> (2002) High transmission efficiency of germline chimerism using cultured gonadal primordial germ cells in chicken. *Transgenic Research* 11:85.
- 70. Chang IK, Jung SY, Kim KD, <u>Han JY</u> (2002) Migration and proliferation of chicken primordial germ cells following transplantation into the stage X Japanese quail embryos. *Transgenic Research* 11:85.
- 71. Lim JM, Lee BC, Chung HM, Cha KY, Lee ES, <u>Han JY</u>, Hansel W, Hwang WS (2001) Improved mouse embryo culture system based on human preimplantation-1 medium. *Reproductive Technologies* 10:324-329.
- Hwang KC, Song KD, Kim TH, Jeong DK, Sohn SH, Lillehoj HS, <u>Han JY</u> (2001) Genetic linkage mapping of RAPD segregating in Korean Ogol Chicken - White Leghorn backcross population. *Asian-Australasian Journal of Animal Sciences* 14:302-306.
- 73. Song KD, <u>Han JY</u>, Min W, Lillehoj HS, Kim SW, Kim JK (2001) Molecular cloning and characterization of cDNA encoding immunoglobulin heavy and light chain variable regions from four chicken monoclonal antibodies specific to surface antigens of intestinal parasite, *Eimeria acervulina*. *Journal of Microbiology* 39:49-55.
- Song KD, Lillehoj HS, Choi KD, Yun CH, Parcells MS, Huynh JT, <u>Han JY</u> (2001) A DNA vaccine encoding a
 conserved *Eimeria* protein induces protective immunity against live *Eimeria acervulina* challenge. *Vaccine* 19:243252.
- 75. Kim JK, Min W, Lillehoj HS, Kim SW, Sohn EJ, Song KD, <u>Han JY</u> (2001) Generation and characterization of recombinant scFv antibodies detecting *Eimeria acervulina* surface antigen. *Hybridoma* 20:175-181.

- 76. Min W, Kim JK, Lillehoj HS, Sohn EJ, <u>Han JY</u>, Song KD, Lillehoj EP (2001) Characterization of recombinant scFv antibody reactive with an apical antigen of *Eimeria acervulina*. *Biotechnology Letters* 23:949-955.
- 77. Park TS, <u>Han JY</u> (2000) Derivation and characterization of pluripotent embryonic germ cells in chicken. Molecular Reproduction and Development 56:475-482.
- 78. Lillehoj HS, Choi KD, Jenkins MC, Vakharia VN, Song KD, <u>Han JY</u>, Lillehoj EP (2000) A recombinant *Eimeria* protein inducing interferon-γ production: comparison of different gene expression systems and immunization strategies for vaccination against coccidiosis. *Avian Diseases* 44:379-389.
- 79. Choi KD, Lillehoj HS, Song KD, <u>Han JY</u> (1999) Molecular and functional characterization of chicken IL-15. Developmental and Comparative Immunology 23:165-177.
- 80. <u>Han JY</u>, Hong YH, Jeong DK, Park TS (1999) Production of germ-line chimeric chickens using long-term cultured gonadal primordial germ. *Transgenic Research* 8:479.
- 81. Hong YH, Moon YK, Jeong DK, <u>Han JY</u> (1998) Improved transfection efficiency of chicken gonadal primordial germ cells for the production of transgenic poultry. *Transgenic Research* 7:247-252.
- 82. Chang IK, Jeong DK, Hong YH, Park TS, Moon YK, Ohno T, <u>Han JY</u> (1997) Production of germline chimeric chickens by transfer of cultured primordial germ cells. *Cell Biology International* 21(8):495-499.
- 83. Song KD, Lillehoj HS, Choi KD, Zarlenga D, <u>Han JY</u> (1997) Expression and functional characterization of recombinant chicken interferon-gamma. *Veterinary Immunology and Immunopathology* 58:321-333.
- 84. Hong YH, Seo DS, Jeong DK, Choi KD, <u>Han JY</u> (1995) Migration of the primordial germ cells and gonad formation in the early chicken embryo. *Asian-Australasian Journal of Animal Sciences* 8:557-562.
- 85. <u>Han JY</u>, Shoffner RN, Guise KS (1994) Gene transfer by manipulation of primordial germ cells in the chicken. *Asian-Australasian Journal of Animal Sciences* 7:427-434.
- 86. <u>Han JY</u>, Seo DS, Shoffner RN (1994) Primordial germ cells in the aves. *Asian-Australasian Journal of Animal Sciences* 7:459-466.
- 87. Han JY, Seo DS, Shoffner RN, Guise KS (1994) Manipulation of chicken primordial germ cells for transgenic chicken. *Animal Cell Technology: Basic and Applied Aspects* 6:317-324.
- 88. Yuh IS, Park CK, <u>Han JY</u>, Sheffield LG (1993) Modulation of insulin-stimulated DNA synthesis by cholera toxin in bovine mammary fibroblast. *Asian-Australasian Journal of Animal Sciences* 6:483-489.
- 89. <u>Han JY</u>, Shin YS, Shoffner RN, Guise KS (1993) Stable transformation of cultured chick cells. *Asian-Australasian Journal of Animal Sciences* 6:581-589.
- 90. Han JY (1991) The primordial germ cell as a vehicle for transgenesis in the chicken (*Gallus domesticus*). Ph.D. THESIS.

OLIST OF DOMESTIC PUBLICATION

- Choi JW, Kang SJ, Park MS, Kim JK, <u>Han JY</u> (2008) Practical use of DNA polymorphisms in the avian immunoglobulin light chain constant domain for species-specific PCR. *Journal of Animal Science & Technology* 50:9-18.
- 2. Ha JI, Jee H, Lim JM, <u>Han JY</u>, Kim DY (2008) Ovarian adenocarcinoma in White Leghorn and Ogol chicken. Korean Journal of Veterinary Reserch 48:469-472.
- Lee JY, Kim H, Kim DK, Song KD, Lim JM, <u>Han JY</u> (2007) Screening of chicken genes related to germ cell development. *Journal of Animal Science & Technology* 49:183-194.

- 4. <u>Han JY</u> (2002) Research progress and future perspectives in animal stem cell research. *Journal of Korean Medical Association* 45:719-727.
- 5. Kim DK, Song GH, Kim JN, Jeong DK, Kim KD, <u>Han JY</u> (2001) Studies on the migratory ability of primordial germ cells from embryonic gonads at different developmental stages in quail. *Korean Journal of Poultry Science* 28(1):69-76.
- 6. Kang SK, Lee BC, Lim JM, <u>Han JY</u>, Hwang WS (2001) Discovering novel genes of poultry in genomic era. Korean Journal of Poultry Science 28:143-153.
- 7. Jeon IS, Yoon DH, Park EW, Nho WG, Choi CH, Lee JH, Lee HH, Cheong IC, <u>Han JY</u> (2001) Production of transgenic chicken by using embryo culture techniques. *Korean Journal of Poultry Science* 28(2):125-133.
- 8. Kim TH, Yoon DH, Nho WG, Choi BH, Yeon SH, Kim NS, Lee HJ, Cheong IC, <u>Han JY</u> (2001) Genetic variations of melanocortin receptor 1 (*MC1R*) in Korean native pig. *Journal of Animal Science & Technology* 43:293 -302.
- Lee SH, Lee CS, Lee KY, Park TS, <u>Han JY</u>, Kim SK, Sang BC (2000) Association of microsatellite polymorphisms of *BoLA-DRB*₃ intron₂ with economic traits in Holstein and Korean cattle. *Journal of Animal* Science & Technology 42:757-766.
- Kim TH, Yoon DH, Park EW, Lee HY, Oh SJ, Cheong IC, Thak TY, Kim KN, <u>Han JY</u> (2000) A study on genotype frequencies of the bovine melanocortin receptor 1 (MCIR) in cattle breeds. Journal of Animal Science & Technology 42:735-744.
- 11. Ohh BK, Hwang KC, <u>Han JY</u> (2000) Genetic analysis of Korean Native Chicken breeds using microsatellites. The Journal of National Academy of Sciences(Natural science part) 39:351-362.
- 12. Song KD, Choi KD, Lillehoj HS, <u>Han JY</u> (1999) Genomic structure of chicken interferon-γ and characterization of 5'-regulatory sequences. *Korean Journal of Animal Science* 41:397-404.
- 13. Jeong DK, Park TS, Kim DK, Song KD, Hong YH, <u>Han JY</u> (1999) Production of germline chimeric chickens using primordial germ cells from germinal crescent and blood. *Korean Journal of Animal Science* 41:621-628.
- 14. Park YH, <u>Han JY</u>, Ohh BK, Moon JS, Koo BK, Joo YS, Seo KS, Lillehoj HS, C.D. William (1998) Immunogenetic characterization of Korean Native Chickens by monoclonal antibodies to chicken leukocyte differentiation antigen. *Korean Journal of Veterinary Research* 38:91-99.
- 15. Cho BW, Hwang KC, Lee DH, Lee HK, Jeon GJ, <u>Han JY</u> (1998) Effects of milk protein and growth hormone genotypes on economic traits for Hanwoo. *Korean Journal of Animal Science* 40:135-144.
- 16. Park YI, <u>Han JY</u>, Lee SC, Lee IJ, Park TS, Lee KY, Shin YS, Lee HK, Kim HK, Oh HS, Son CJ (1998) Effect of porcine stress syndrome genotype on economic traits in swine. *Animal Genetics and Breeding* 2:21-26.
- 17. Hong YH, Cheong IC, Kim TH, Kim HB, Yoon DY, Kim HS, Cho BW, <u>Han JY</u> (1998) Development of sequence characterized amplified regions (SCARs) showing Korean cattle (Hanwoo) specificity. *Animal Genetics and Breeding* 2:107-114.
- 18. Park YI, Park TS, Shin YS, Lee HK, Kim, Oh HS, Son CJ, <u>Han JY</u> (1997) Detection of porcine stress syndrome using PCR-RFLP. *Animal Genetics and Breeding* 1:73-80.
- 19. Cho BW, Hwang KC, Lee HK, Lee KJ, <u>Han JY</u> (1997) Application of DNA markers to characterize cattle breed using random amplified polymorphic DNAs. *Animal Genetics and Breeding* 1:49-57.

- Hwang KC, Hong YH, Lee HK, Sohn SH, Cho BW, <u>Han JY</u> (1997) Application of polymerase chain reaction
 with short oligonucleotide primers of arbitrary sequence for the genetic analysis of Korean Native Ogol chicken.
 Korean Journal of Animal Science 39:27-34.
- 21. <u>Han JY</u>, Seo DS, Hong YH, Jeong DK, Shin YS (1996) Comparison of viable rates of chick embryos by different eggshell window positioning. *Korean Journal of Poultry Science* 23:9-17.
- 22. Ohh BK, Hwang KC, Lee WY, Lee BC, Hwang WS, <u>Han JY</u> (1996) Simple and rapid sex determination of preimplanted bovine embryos with male specific repetitive sequences. *Korean Journal of Animal Science* 38:43-51.
- 23. <u>Han JY</u>, Seo DS, Hong YH, Jeong DK, Choi KD, Shin YS (1996) Expression of *Lac Z* gene in young chick gonad by the transfected primordial germ cell injection. *Korean Journal of Poultry Science* 23:61-69.
- 24. Park YI, Im KS, <u>Han JY</u>, Nam KW, Hwang KC, Park HC (1996) Studies on isolation of Y-specific DNA marker and development of monoclonal H-Y antibodies for embryo sexing in rabbit I. Sexing of rabbit morula by H-Y antiserum from female rat immunized by rat newborn testis cell as an antigen. *Korean Journal of Animal Reproduction* 20:53-61.
- 25. Park YI, Im KS, <u>Han JY</u>, Nam KW, Hwang KC, Park HC (1996) Studies on isolation of Y-specific DNA marker and development of monoclonal H-Y antibodies for embryo sexing in rabbit II. Sex determination of rabbit embryo by PCR amplified Y-specific DNA. Korean Journal of Animal Reproduction 20:89-99.
- 26. Min JS, Min BR, <u>Han JY</u>, Lee M(1996) The identification of species of meat (Korean cattle beef, Deer meat, Sheep meat and Goat meat) using random amplified polymorphic DNAs. *Korean Journal of Animal Science* 38:231-238.
- Lee HK, Chung HY, Chung HK, Oh HK, Chun BS, You CH, Chun KJ, Kim KN, Lee KW, <u>Han JY</u>, Chung ER (1996) Analysis of genetic characteristics by biochemical genetic markers in Korean native chicken. *Korean Journal of Poultry Science* 23:135-144.
- Lee HK, Lee SJ, Hwang KC, Cheong IC, Park YH, Sohn SH, Shin YS, Ohh BK, <u>Han JY</u> (1996) Analysis of genetic characteristics of Korean native chicken using DNA marker. *Korean Journal of Poultry Science* 23:177-183.
- 29. Min BR, <u>Han JY</u>, Lee M (1995) The identification of beef breeds (Korean cattle beef, Holstein beef & Imported beef) using random amplified polymorphic DNAs. *Korean Journal of Animal Science* 37:651-660.
- 30. Lee SJ, Hwang KC, Choi KD, Lee HK, Shin YS, <u>Han JY</u> (1995) Genetic analysis of Korean native Ogol chickens with DNA fingerprinting. *Korean Journal of Animal Science* 37:207-215.
- 31. Seo DS, Hong YH, Choi KD, Yang MH, Shin YS, <u>Han JY</u> (1995) Production of chimeric chickens (White Leghorn ↔ Korean Native Ogol) by blastodermal cell transfer. *Korean Journal of Animal Science* 37:27-32.
- 32. <u>Han JY</u> (1994) DNA Polymorphisms and genetic improvement of Korean cattle (HanWoo). *Korean Journal of Animal Breeding* 7:44-65.
- 33. Cho BW, <u>Han JY</u> (1994) Development of RAPD marker specific for Korean cattle HANWOO). *Korean Journal of Animal Science* 36:263-270.
- 34. <u>Han JY</u>, Shoffner RN, Guise KS (1994) Microinjection and expression of marker gene in the early chicken embryo. *Korean Journal of Animal Science* 36:244-251.
- 35. <u>Han JY</u> (1994) Application of molecular genetic techniques in animal and poultry breeding. *Biochemical Engineering and Biotechnology* 8:49-63.
- 36. Han JY (1993) Gene mapping and animal breeding. Korean Journal of Animal Breeding 6:35-48.

- 37. Song KD, Shin YS, <u>Han JY</u> (1993) Identification of sex-specific DNA sequences in the chicken. *Korean Journal of Poultry Science* 20:177-188.
- 38. Yeo JS, Chung TW, <u>Han JY</u>, Choi CB, Kim JW, Chung SB (1993) Studies on DNA fingerprinting for the Korean native chicken. *Korean Journal of Poultry Science* 20:209-216.
- 39. <u>Han JY</u> (1992) The primordial germ cell as a vector for transgenesis in the chicken. *Korean Journal of Animal Breeding* 5:44-58.
- 40. Ohh BK, <u>Han JY</u>, Sohn SH, Park TS (1986) Estimation of genetic variations and selection of superior lines form diallel crosses in layer chicken. *Korean Journal of Poultry Science* 13:1-14.